

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS

1. (Currently Amended) A light reflector for a road guardrail, comprising:
  - a light reflecting body formed with a reverse trapezoidal valley inside of the light reflecting body in a longitudinal direction, and formed with inclined surfaces that close front and rear ends of the reverse trapezoidal valley at the front and rear ends;
  - light reflecting plates formed on a bottom surface and lateral sides of the reverse trapezoidal valley and plated by a mirror surface plating;
  - one of a light reflecting tape attached on the inclined surfaces and fluorescent paint-coated on the inclined surfaces; and
  - a transparent cover, installed on an upper side of the light reflecting body, that covers a space defined by the reverse trapezoidal valley and the front and rear inclined surfaces, the transparent cover including a substantially flat inner surface,  
wherein the light reflector is configured to be installed on the road guardrail with the bottom surface of the trapezoidal valley positioned adjacent the road guardrail and faces outwardly, and the transparent cover is positioned away from the guardrail.
2. (Previously Presented) The light reflector as set forth in claim 1, wherein the reverse trapezoidal valley is provided with a plurality of projections extending from the bottom surface thereof.

3. (Previously Presented) The light reflector as set forth in claim 1, wherein the light reflecting body is provided with an inserting projection at a side thereof, and is formed with an inserting recess, in which the inserting projection of an adjacent light reflector is inserted, at the other side of the light reflecting body.

4. (Previously Presented) The light reflector as set forth in claim 1, wherein an upper surface of the transparent cover is coated with a transparent static electricity preventive material .

5. (Previously Presented) The light reflector as set forth in claim 3, wherein an upper surface of the transparent cover is coated with a transparent static electricity preventive material.

6. (Previously Presented) The light reflector as set forth in claim 2, wherein the light reflecting body is provided with an inserting projection at a side thereof, and is formed with an inserting recess, in which the inserting projection of an adjacent light reflector is inserted, at the other side of the light reflecting body.

7. (Previously Presented) The light reflector as set forth in claim 2, wherein, an upper surface of the transparent cover is coated with a transparent static electricity preventive material.

8. (Previously Presented) The light reflector as set forth in claim 6, wherein an

upper surface of the transparent cover is coated with a transparent static electricity preventive material.